



ABBREVIATIONS:

Table of abbreviations for construction terms, including AVB ABOVE, AFF ABOVE FINISHED FLOOR, ASC ABOVE, etc.

GENERAL NOTES:

- 1. IT IS THE INTENT OF THESE CONTRACT DOCUMENTS TO DEFINE AND DESCRIBE A COMPLETE FINISHED AND FULLY FUNCTIONING FACILITY...
2. WHEN WORK IS NOT SPECIFICALLY NOTED BUT IS REQUIRED TO COMPLETE THE PROJECT...

PROJECT SUMMARY:

THIS IS A PERMIT APPLICATION FOR THE RECONSTRUCTION OF THE NAPLES PIER, LOCATED AT 25 12TH AVENUE SOUTH, NAPLES FL 34102. THE PROJECT WILL CONSIST OF: AN INTERIOR AND EXTERIOR RENOVATION OF THE EXISTING MEN'S AND WOMEN'S RESTROOMS...

CODE ANALYSIS: FBC 7TH ED 2020:

- APPLICABLE CODES:
- CITY OF NAPLES MUNICIPAL CODE
- FLORIDA BUILDING CODE 7TH EDITION (2020)
- FLORIDA FIRE PREVENTION CODE 7TH EDITION (2020)


FEMA INFORMATION

FIRM #: 12021C0393H DATED 2012
12021C DATED 2019
BASE FLOOD ELEVATION: 13' NAVD (2012)
11' NAVD (2019)

DRAWING INDEX:

Table with columns SHEET NUMBER and SHEET NAME, listing drawing sheets like G.000 COVER SHEET, G.100 PROJECT INFORMATION, etc.

STANDARD SYMBOLS:




TERMITE PROTECTION:

- 1. TERMITE PROTECTION SHALL BE PROVIDED BY REGISTERED TERMITICIDES, INCLUDING SOIL APPLIED PREVENTIVES, BAITING SYSTEMS, AND PREVENTIVES APPLIED TO WOOD, OR OTHER APPROVED METHODS OF TERMITE PROTECTION LABELED FOR USE AS A PREVENTATIVE TREATMENT TO NEW CONSTRUCTION...

MATERIAL LEGEND:

Table mapping material patterns to names: BRICK, STEEL, RIGID INSULATION, EARTH, UNDISTURBED EARTH, GRAVEL, STRUCTURAL CONCRETE, CERAMIC TILE, ALUMINUM, PLYWOOD, SHINGLES, SIDING, GYP. BD., LUMBER, BLOCKING, FINISH WOOD, GLASS, CMU.

PROJECT LOCATION MAP:



NAPLES PIER RECONSTRUCTION
25 12th Ave S., Naples FL 34102












FLORIDA SEAL REG# RA 16791
NOT FOR CONSTRUCTION

Table for SHEET ISSUE DATE with columns for date and issue number.

PROJECT INFORMATION
CONTACT: MAUREN MINKER
PHONE: (239) 777-1118

PHASE CD
PR NO 23118

G.100

<p><b>A</b> EXISTING HARDIE ARTISAN LAP SIDING/ NEW DUR-A-WALL VC WAINSCOT</p>  <ol style="list-style-type: none"> <li>NEW DUR-A-WALL VC WAINSCOT</li> <li>EXISTING 8" MASONRY UNIT WALL.</li> <li>EXISTING 7 1/4" HARDIE ARTISAN LAP SIDING INSTALLED AT 1 1/4" OVERLAP. REPAINT</li> <li>EXISTING 1"x1" PRESSURE TREATED FURRING STRIPS AT 16" O.C.</li> <li>EXISTING HARDIE WRAP WEATHER BARRIER.</li> <li>EXISTING FURRING, BACKER BOARD &amp; EPOXY FINISH TO BE REMOVED (BASE BID) EXISTING FURRING, BACKER BOARD &amp; EPOXY FINISH TO REMAIN (ALTERNATE BID)</li> </ol>	<p><b>B</b> EXISTING HARDIE ARTISAN LAP SIDING/ EXISTING IPE WOOD (REFINISH)</p>  <ol style="list-style-type: none"> <li>EXISTING 1"x1" PRESSURE TREATED FURRING STRIPS AT 12" O.C.</li> <li>EXISTING 1"x4" IPE WOOD, DOUBLE GROOVED, HUNG HORIZONTALLY WITH IPE CLIP FASTENERS. REFINISH</li> <li>EXISTING 8" MASONRY UNIT WALL.</li> <li>EXISTING 7 1/4" HARDIE ARTISAN LAP SIDING INSTALLED AT 1 1/4" OVERLAP. REPAINT.</li> <li>EXISTING 1"x1" PRESSURE TREATED FURRING STRIPS AT 16" O.C.</li> <li>EXISTING HARDIE WRAP WEATHER BARRIER.</li> </ol>	<p><b>C</b> EXISTING HARDIE ARTISAN LAP SIDING/ EXPOSED CEMENT BLOCK</p>  <ol style="list-style-type: none"> <li>EXISTING 7/8" MTL. HAT CHANNEL STUDS AT 12" O.C.</li> <li>EXISTING 7 1/4" HARDIE ARTISAN LAP SIDING INSTALLED AT 1 1/4" OVERLAP. REPAINT</li> <li>EXISTING 8" MASONRY UNIT WALL. (REPAINT)</li> <li>TOOLED JOINTS.</li> </ol>	<p><b>D</b> NEW DUR-A-WALL VC WAINSCOT / NEW DUR-A-WALL VC WAINSCOT</p>  <ol style="list-style-type: none"> <li>EXISTING 4" MASONRY UNIT WALL.</li> <li>NEW DUR-A-WALL VC WAINSCOT</li> <li>EXISTING FURRING, BACKER BOARD &amp; EPOXY FINISH TO BE REMOVED (BASE BID) EXISTING FURRING, BACKER BOARD &amp; EPOXY FINISH TO REMAIN (ALTERNATE BID)</li> </ol>
<p><b>E</b> EXISTING IPE WOOD (REFINISH) / EXISTING IPE WOOD (REFINISH)</p>  <ol style="list-style-type: none"> <li>EXISTING 4" MASONRY UNIT WALL.</li> <li>EXISTING 1X PRESSURE TREATED FURRING STRIPS AT 12" O.C.</li> <li>EXISTING 1"x4" IPE WOOD, DOUBLE GROOVED, HUNG HORIZONTALLY WITH IPE CLIP FASTENERS. REFINISH</li> </ol>	<p><b>F</b> NEW DUR-A-WALL WAINSCOT / EXISTING CONCRETE BLOCK (REPAINT)</p>  <ol style="list-style-type: none"> <li>EXISTING 4" MASONRY UNIT WALL.</li> <li>NEW DUR-A-WALL VC WAINSCOT</li> <li>TOOLED JOINTS.(REPAINT)</li> <li>EXISTING FURRING, BACKER BOARD &amp; EPOXY FINISH TO BE REMOVED (BASE BID) EXISTING FURRING, BACKER BOARD &amp; EPOXY FINISH TO REMAIN (ALTERNATE BID)</li> </ol>	<p><b>G</b> EXISTING IPE WOOD (REFINISH) / EXISTING CONCRETE BLOCK (REPAINT)</p>  <ol style="list-style-type: none"> <li>EXISTING 4" MASONRY UNIT WALL.</li> <li>EXISTING 1X PRESSURE TREATED FURRING STRIPS AT 12" O.C.</li> <li>EXISTING 1"x4" IPE WOOD, DOUBLE GROOVED, HUNG HORIZONTALLY WITH IPE CLIP FASTENERS. REFINISH</li> <li>TOOLED JOINTS.</li> </ol>	<p><b>H</b> NEW INTERIOR PT WOOD STUD WALL / FRP</p>  <p>KITCHEN</p> <ol style="list-style-type: none"> <li>NEW 2X4 P.T. WOOD STUD @ 24" O.C.</li> <li>SOUND BATT INSULATION AS REQUIRED.</li> <li>1/2" GYPSUM BOARD.</li> <li>FIBERGLASS REINFORCED PLASTIC PANELS</li> </ol>
<p><b>H1</b> NEW INTERIOR PT WOOD STUD WALL</p>  <ol style="list-style-type: none"> <li>NEW 2X4 P.T. WOOD STUD @ 24" O.C.</li> <li>SOUND BATT INSULATION AS REQUIRED.</li> <li>1/2" GYPSUM BOARD.</li> </ol>	<p><b>I</b> NEW HARDIE ARTISAN LAP SIDING / FRP</p>  <ol style="list-style-type: none"> <li>NEW 1/2" GYPSUM BOARD.</li> <li>FIBERGLASS REINFORCED PLASTIC PANELS.</li> <li>NEW 1"x1" PRESSURE TREATED FURRING STRIPS AT 12" O.C.</li> <li>NEW 1" CONTINUOUS RIGID INSULATION.</li> <li>NEW 7 1/4" HARDIE ARTISAN LAP SIDING INSTALLED AT 1 1/4" OVERLAP.</li> <li>NEW 1" x 1" PRESSURE TREATED FURRING STRIPS @ 16" O.C.</li> <li>NEW HARDIE WRAP WEATHER BARRIER.</li> </ol>	<p><b>J</b> EXISTING MASONRY WALL / NEW FURRING &amp; GYPSUM BOARD</p>  <ol style="list-style-type: none"> <li>NEW 1/2" GYPSUM BOARD</li> <li>NEW 1"x1" PRESSURE TREATED FURRING STRIPS AT 12" O.C.</li> <li>NEW 1" CONTINUOUS RIGID INSULATION.</li> <li>EXISTING 8" MASONRY UNIT WALL (REMOVE EXISTING EXTERIOR LAP SIDING AND FURRING).</li> </ol>	

THIS DRAWING AND DESIGN WITHIN THIS HARD COPY OR DIGITAL FILE IS THE PROPERTY AND CREATION OF MAK ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAK ARCHITECTURE © 2023

**NAPLES PIER RECONSTRUCTION**  
25 12th Ave S., Naples FL 34102

FLORIDA SEAL  
REG# AR 16771  
**NOT FOR CONSTRUCTION**

SHEET/ISSUE DATE  
07/25/2023  
90% CD SET

**ADA COMPLIANCE**

PHASE CD  
PR NO 23118

**LS.100**

**703 SIGNS**

FIGURE 703.7.2.4 INTERNATIONAL SYMBOL OF ACCESS FOR HEARING LOSS

FIGURE 703.7.2.3 VOLUME-CONTROLLED TELEPHONE

FIGURE 703.7.2.2 INTERNATIONAL TTY SYMBOL

FIGURE 703.7.2.1 INTERNATIONAL SYMBOL OF ACCESSIBILITY

FIGURE 703.6 Pictogram Field

FIGURE 703.4.1 HEIGHT OF TACTILE CHARACTERS ABOVE FLOOR OR GROUND

FIGURE 703.4.2 LOCATION OF TACTILE SIGNS AT DOORS

FIGURE 703.3.2 POSITION OF BRAILLE

FIGURE 703.2.5 HEIGHT OF RAISED CHARACTERS

**WATER CLOSETS, URINALS, LAVATORIES**

NEW BUILDINGS 52" MIN. 30" MIN.

EXISTING BUILDINGS 48" MIN. 30" MIN.

CLEAR FLOOR SPACE

FIGURE 303.2 VERTICAL CHANGES IN LEVEL

FIGURE 303.3 BEVELED CHANGES IN LEVEL

FIGURE 302.2 CARPET ON FLOOR OR GROUND SURFACES

FIGURE 606.3 HEIGHT ON LAVATORIES, SINKS, AND MIRRORS

FIGURE 605.2 HEIGHT AND DEPTH OF URINALS

FIGURE 604.7 DISPENSER OUTLET LOCATION

FIGURE 604.3.1 SIZE OF CLEARANCE AT WATER CLOSETS

FIGURE 604.5.1 SIDE WALL GRAB BAR AT WATER CLOSETS

FIGURE 604.5.2 REAR WALL GRAB BAR AT WATER CLOSETS

**404 DOORS AND DOORWAYS**

FIGURE 602.5 DRINKING FOUNTAIN SPOUT LOCATION

FIGURE 505.10.2 TOP HANDRAIL EXTENSIONS AT STAIRS

FIGURE 505.10.3 BOTTOM HANDRAIL EXTENSIONS AT STAIRS

FIGURE 505.10.1 TOP AND BOTTOM HANDRAIL EXTENSIONS AT RAMPS

FIGURE 505.4 HANDRAIL HEIGHT

FIGURE 505.5 HANDRAIL CLEARANCE

FIGURE 404.2.5 TWO DOORS IN SERIES

FRONT APPROACH

POCKET APPROACH

STOP OR LATCH APPROACH

FIGURE 404.2.3.3 - MANEUVERING CLEARANCES AT SLIDING AND FOLDING DOORS

**504 STAIRWAYS**

1/2" MAX. RADIUS OR 45 DEG. BEVEL

(A) VERTICAL RISER (D) ANGLED RISER

1 1/2" MAX. (B) CURVED NOSING (C) BEVELED RISER

FIGURE 504.2 TREADS AND RISERS FOR ACCESSIBLE STAIRWAYS

(B) CHANGE IN DIRECTION

FIGURE 405.7 RAMP LANDINGS

AT LEAST AS WIDE AS RAMP RUN

(A) STRAIGHT

**405 RAMPS**

(A) FRONT APPROACH, PULL SIDE

(B) FRONT APPROACH, PUSH SIDE

(C) HINGE APPROACH, PULL SIDE

(D) HINGE APPROACH, PUSH SIDE

(E) HINGE APPROACH, PUSH SIDE

(F) LATCH APPROACH, PULL SIDE

(G) LATCH APPROACH, PUSH SIDE

FIGURE 404.2.4.1 MANEUVERING CLEARANCES AT SWINGING DOORS

(A) HINGED DOOR

(B) SLIDING DOOR

(C) FOLDING DOOR

FIGURE 404.2.3 CLEAR WIDTH OF DOORWAYS

**403 ACCESSIBLE ROUTE**

FIGURE 403.5.2.1 (A) (B)

FIGURE 403.5 CLEAR WIDTH OF AN ACCESSIBLE ROUTE

FIGURE 308.2.2 OBSTRUCTED HIGH FORWARD REACH

FIGURE 308.3.1 UNOBSTRUCTED SIDE REACH

FIGURE 308.3.2 OBSTRUCTED HIGH SIDE REACH

**308 REACH**

FIGURE 307.2 LIMITS OF PROTRUDING OBJECTS

FIGURE 307.4 VERTICAL CLEARANCE

**306 TOE AND KNEE CLEARANCE**

FIGURE 306.2 TOE AND KNEE CLEARANCE

**306 TOE AND KNEE CLEARANCE**

FIGURE 305.3 SIZE OF CLEAR GROUND SPACE

(A) FORWARD (B) PARALLEL

FIGURE 305.5 POSITION OF CLEAR FLOOR OR GROUND SPACE

FIGURE 305.7.1 MANEUVERING CLEARANCE IN AN ALCOVE, FORWARD APPROACH

FIGURE 305.7.2 MANEUVERING CLEARANCE IN AN ALCOVE, PARALLEL APPROACH

**305 CLEAR GROUND SPACE**

(A) CIRCULAR

(B) T-SHAPED OPTION 1 (B) T-SHAPED OPTION 2

FIGURE 304.3 SIZE OF WHEELCHAIR TURNING SPACE (NEW CONSTRUCTION)














(A) CIRCULAR

T-SHAPED TURNING SPACE


FIGURE 304.3 SIZE OF WHEELCHAIR TURNING SPACE (EXISTING BUILDINGS)

**304 WHEELCHAIR TURNING SPACE**

### LIFE SAFETY LEGEND

-  INDICATES CMU WALL
-  INDICATES PARTITION WALL
-  INDICATES CONCRETE WALL
-  INDICATES LOCATION OF 1-HOUR RATED WALL
-  INDICATES LOCATION OF 2-HOUR RATED WALL
-  S FE SURFACE MOUNTED FIRE EXTINGUISHER, 2A-10BC W/ WALL BRACKET
-  SR FE SEMI-RECESSED FIRE EXTINGUISHER, 2A-10BC W/ S.S. CABINET
-  FR FE RECESSED FIRE EXTINGUISHER, 2A-10BC W/ IN S.S. CABINET
-  FR FE RECESSED FIRE EXTINGUISHER, 2A:K W/ IN S.S. CABINET
-  EXIT SIGNAGE / DIRECTION
-  WALL TYPES
-  TRAVEL DISTANCE
-  EMERGENCY EXIT LIGHTING

**NOTE: COASTAL EXTERIOR CABINET TO BE USED FOR FIRE EXTINGUISHER CABINETS**




## 1 OVERALL LIFE SAFETY PLAN

SCALE: 1/32" = 1'-0"


### LIFE SAFETY LEGEND

- INDICATES CMU WALL
- INDICATES PARTITION WALL
- INDICATES CONCRETE WALL
- INDICATES LOCATION OF 1-HOUR RATED WALL
- INDICATES LOCATION OF 2-HOUR RATED WALL
- S FE SURFACE MOUNTED FIRE EXTINGUISHER, 2A-10BC W/ WALL BRACKET
- SR FE SEMI-RECESSED FIRE EXTINGUISHER, 2A-10BC W/ S.S. CABINET
- FR FE RECESSED FIRE EXTINGUISHER, 2A-10BC W/ IN S.S. CABINET
- FR FE RECESSED FIRE EXTINGUISHER, 2A:K W/ IN S.S. CABINET
- EXIT SIGNAGE / DIRECTION
- WALL TYPES
- TRAVEL DISTANCE
- EMERGENCY EXIT LIGHTING


**NOTE: COASTAL EXTERIOR CABINET TO BE USED FOR FIRE EXTINGUISHER CABINETS**




**1 LIFE SAFETY PLAN - END-PAVILION**  
SCALE: 3/32" = 1'-0"




**2 LIFE SAFETY PLAN - MID-PAVILION**  
SCALE: 3/32" = 1'-0"




**3 LIFE SAFETY PLAN - PIER ACCESS**  
SCALE: 3/32" = 1'-0"




① ADA RAILING - End & Mid Pavilion  
SCALE: 1" = 20'-0"




② ADA RAILING - Mid Pavilion & Pier Access  
SCALE: 1" = 20'-0"



**1 OVERALL PIER FLOOR PLAN**  
SCALE: 1/32" = 1'-0"



**2 NORTH ELEVATION**  
SCALE: 1/32" = 1'-0"



**3 SOUTH ELEVATION**  
SCALE: 1/32" = 1'-0"

**SITE ELEVATION INFORMATION**

FEMA ZONE:	VE13 (2012) / VE11 (2019)
AVG CROWN OF ROAD	N/A
DESIGN FLOOD ELEVATION	14' NAVD (2012) 12' NAVD (2019)
MID - PAVILION / CONCESSIONS AND STORAGE	13.93' NAVD
END - PAVILION / SUNSET VIEWING DECK	14.93' NAVD
PLATFORM SURROUNDING END PAVILION	13.93' NAVD

- EXISTING FLOOD VENTS IN RESTROOMS TO REMAIN.  
- DRY FLOODPROOF CONCESSIONS AND PIER STORAGE (FLOOD PANELS)

SITE ELEVATION INFORMATION  
NTS



THIS DRAWING AND DESIGN WITHIN THIS SHEET IS THE PROPERTY AND CREATION OF MAK ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAK ARCHITECTURE © 2023

**NAPLES PIER RECONSTRUCTION**  
25 12th Ave S., Naples FL 34102

FLORIDA SEAL  
REG.# AR 16971  
**NOT FOR CONSTRUCTION**







SHEET ISSUE DATE  
09/25/2023  
90% CD SET







END-PAVILION  
FLOOR PLAN

PHASE CD  
PR NO 23118

**A.002**


NOTE: TOP GUARDRAIL NOT SHOWN FOR DIMENSIONING PURPOSES.













1 PARTIAL SOUTH ELEVATION - CONCESSIONS OPTION A  
SCALE: 1/8" = 1'-0"



3 3D VIEW- CONCESSIONS/PICNIC/SHOWER AREAS  
SCALE:



2 PARTIAL NORTH ELEVATION - SHOWERS/SEATING AREA OPTION A  
SCALE: 1/8" = 1'-0"

**NAPLES PIER RECONSTRUCTION**  
25 12th Ave S., Naples FL 34102

FLORIDA SEAL  
REG# AR 16971  
**NOT FOR CONSTRUCTION**

SHEET ISSUE DATE
07/25/2023
90% CD SET

PIER ACCESS ELEVATIONS - OPTION A

PHASE PR NO CD 23118

A.005A

THIS DRAWING AND DESIGN WITHIN THIS SHEET COPY OR DIGITAL FILE IS THE PROPERTY AND CREATION OF MAK ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAK ARCHITECTURE © 2023

**NAPLES PIER RECONSTRUCTION**  
**25 12th Ave S., Naples FL 34102**


FLORIDA SEAL  
 REG# AR 16771  
**NOT FOR CONSTRUCTION**

SHEET ISSUE DATE  
 07/25/2023  
 90% CD SET

PIER ACCESS  
 FLOOR PLAN  
 -OPTION B

PHASE CD  
 PR NO 23118


**A.005B**




**1 PIER ACCESS - OPTION B**  
 SCALE: 1/8" = 1'-0"



**2 3D VIEW - PIER ACCESS OPTION B**  
 SCALE:



**3 PICNIC AREA ELEVATION - OPTION B**  
 SCALE: 1/8" = 1'-0"



**4 CONCESSIONS - PICNIC AREA ELEVATION**  
 SCALE: 1/8" = 1'-0"



THE DRAWING AND DESIGN WITHIN THIS SHEET IS THE PROPERTY AND CREATION OF MAK ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAK ARCHITECTURE © 2023

**NAPLES PIER RECONSTRUCTION**  
25 12th Ave S., Naples FL 34102

FLORIDA SEAL  
REG # AR 16971  
**NOT FOR CONSTRUCTION**

SHEET ISSUE DATE  
09/25/2023  
90% CD SET

**ROOF PLAN**

PHASE CD  
PR NO 23118

**A.005D**


ACUDOR MODULAR HEAVY DUTY STEEL LADDER SYSTEM - ASTM A36 WITH NON-SLIP RUNGS, POWDER COATED TO GALVANIZED FINISH, OSHA COMPLIANT

- LADDER:**  
Material: Steel ASTM A36  
Stringers: LAD-H: 2 1/2" x 3/8"  
Rungs: LAD-H: 1" dia  
Ladder Width: 20" inside  
Length: 4' & 5' (special lengths available on request)  
Weight: LAD-H: 10.5 Lbs/ft
- CAGE:**  
Material: Steel ASTM A36  
Hoops: 2" x 1/4" Th.  
Straps: 1" x 3/16" Th.  
Weight: 8 Lbs/ft  
Height: 48"
- TELESCOPIC SAFETY UPSTAND:**  
Material: Steel ASTM A36  
Extended height: 40" from top rung
- LANDING GUIDE RAIL:**  
Material: Steel ASTM A36  
Extended height: 42" from top rung
- HINGED GATE:**  
Material: 12 Ga. Steel ASTM A36  
Height: 7"
- NOTE:**  
All application requirements are different depending on site conditions. We provided our Ladder System in modular parts to allow a perfect fit for all uses.


BILCO STAINLESS STEEL ROOF HATCH TYPE S-50-TB 36"x30", 1" INSULATION AND THERMALLY BROKEN.



Type S-TB  
Type E-TB  
Thermally Broken  
R-20+ Insulation




**1 END PAVILION - ROOF PLAN**  
SCALE: 1/8" = 1'-0"




**2 MID PAVILION - ROOF PLAN**  
SCALE: 1/8" = 1'-0"

**5 ROOF HATCH DETAIL**

**6 LADDER DETAIL**



**3 PIER ACCESS - ROOF PLAN**  
SCALE: 1/8" = 1'-0"





**4 ROOF DECK - DETAIL**  
SCALE: 1/2" = 1'-0"



RCP LEGEND	
◆	RECESSED LIGHT FIXTURE
◇	J BOX
⊕	SURFACE MOUNT LIGHT FIXTURE - CEILING
⊖	SURFACE MOUNT LIGHT FIXTURE - WALL
—	SUSPENDED LIGHT FIXTURE
—	EMERGENCY LIGHT FIXTURE
■	ABOVE DOOR SURFACE MOUNTED WALL LIGHT
⊞	ELECTRICAL PANEL
⊙	RECESSED FLOOR OUTLET
⊕	EXTERIOR SCONCE LIGHT FIXTURE
—	UNDERCAB LIGHTING

\*DIMENSIONS ARE TO CENTER LINE OF FIXTURE; U.N.O.  
 \*REFER TO ELECTRICAL FOR FIXTURE TYPES




**1 CONCESSIONS RCP**  
 SCALE: 1/4" = 1'-0"


9/25/2023 10:31:30 AM

RCP LEGEND	
◆	RECESSED LIGHT FIXTURE
◇	J BOX
⊕	SURFACE MOUNT LIGHT FIXTURE - CEILING
⊖	SURFACE MOUNT LIGHT FIXTURE - WALL
—	SUSPENDED LIGHT FIXTURE
—	EMERGENCY LIGHT FIXTURE
■	ABOVE DOOR SURFACE MOUNTED WALL LIGHT
⊞	ELECTRICAL PANEL
⊙	RECESSED FLOOR OUTLET
⊕	EXTERIOR SCONCE LIGHT FIXTURE
—	UNDERCAB LIGHTING

\*DIMENSIONS ARE TO CENTER LINE OF FIXTURE; U.N.C.  
\*REFER TO ELECTRICAL FOR FIXTURE TYPES



**2** MID PAVILION - RCP  
SCALE: 1/4" = 1'-0"



**1** RCP - END PAVILION  
SCALE: 1/4" = 1'-0"

THE DRAWING AND DESIGN WITHIN THIS HARD COPY OR DIGITAL FILE IS THE PROPERTY AND CREATION OF MAK ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAK ARCHITECTURE.  
© 2023

**NAPLES PIER RECONSTRUCTION**  
25 12th Ave S., Naples FL 34102


FLORIDA SEAL  
REG# AR 16771  
**NOT FOR CONSTRUCTION**

SHEET ISSUE DATE  
09/25/2023  
90% CD SET


MID-PAVILION ELEVATIONS

PHASE CD  
PR NO 23118

**A.008**




**1 MID PAVILION NORTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**2 MID PAVILION SOUTH ELEVATION**  
SCALE: 1/4" = 1'-0"

**DEMOLITION ELEVATION NOTES**

1. NOT USED
2. REMOVE ROOF SHINGLES COMPLETE.
3. REMOVE ANY ROOFING UNDERLAYMENT, BLOCKING OR INSULATION WITH SIGNS OF DECAY OR DAMAGE. COVER EXPOSED SURFACE TO PROTECT ROOF STRUCTURE AND INTERIOR OF BUILDING FROM POTENTIAL DAMAGE DUE TO WEATHER EXPOSURE OR UNAUTHORIZED ACCESS.
4. REMOVE EXISTING EXTERIOR WOODEN POST AND RAILING COMPLETE.
5. REMOVE EXTERIOR ADJACENT WOOD DECK.
6. REMOVE EXTERIOR SHOWERS COMPLETE / EXISTING SHOWERS TO BE REINSTALLED OVER NEW DECKING.




NORTH ELEVATION




SOUTH ELEVATION

**1 MENS RESTROOMS - NORTH & SOUTH ELEVATIONS / DEMO**  
SCALE: 1/8" = 1'-0"

- DEMOLITION ELEVATION NOTES**
1. NOT USED
  2. REMOVE ROOF SHINGLES COMPLETE.
  3. REMOVE ANY ROOFING UNDERLAYMENT, BLOCKING OR INSULATION WITH SIGNS OF DECAY OR DAMAGE. COVER EXPOSED SURFACE TO PROTECT ROOF STRUCTURE AND INTERIOR OF BUILDING FROM POTENTIAL DAMAGE DUE TO WEATHER EXPOSURE OR UNAUTHORIZED ACCESS.
  4. REMOVE EXISTING EXTERIOR WOODEN POST AND RAILING COMPLETE.
  5. REMOVE EXTERIOR ADJACENT WOOD DECK.
  6. REMOVE EXTERIOR SHOWERS COMPLETE / EXISTING SHOWERS TO BE REINSTALLED OVER NEW DECKING.



SOUTH ELEVATION



NORTH ELEVATION

**1 WOMENS RESTROOMS - NORTH & SOUTH ELEVATIONS / DEMO**

SCALE: 1/8" = 1'-0"

THE DRAWING AND DESIGN WITHIN THIS FILED COPY OR DIGITAL FILE IS THE PROPERTY AND CREATION OF MAR ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAR ARCHITECTURE.  
© 2023

**NAPLES PIER RECONSTRUCTION**  
25 12th Ave S., Naples FL 34102

FLORIDA SEAL  
REG# AR 16771  
NOT FOR  
CONSTRUCTION

SHEET ISSUE DATE  
07/25/2023  
90% CD SET


PIER ACCESS  
DEMO -  
ELEVATIONS

PHASE  
PR NO  
CD  
23118

**A.011**

**DEMOLITION ELEVATION NOTES**


1. NOT USED
2. REMOVE ROOF SHINGLES COMPLETE.
3. REMOVE ANY ROOFING UNDERLAYMENT, BLOCKING OR INSULATION WITH SIGNS OF DECAY OR DAMAGE. COVER EXPOSED SURFACE TO PROTECT ROOF STRUCTURE AND INTERIOR OF BUILDING FROM POTENTIAL DAMAGE DUE TO WEATHER EXPOSURE OR UNAUTHORIZED ACCESS.
4. REMOVE EXISTING EXTERIOR WOODEN POST AND RAILING COMPLETE.
5. REMOVE EXTERIOR ADJACENT WOOD DECK.
6. REMOVE EXTERIOR SHOWERS COMPLETE / EXISTING SHOWERS TO BE REINSTALLED OVER NEW DECKING.



MEN'S RESTROOM

WOMEN'S RESTROOM

WEST ELEVATION




WOMEN'S RESTROOM

MEN'S RESTROOM


EAST ELEVATION

① WOMEN/MEN RESTROOMS - WEST & EAST ELEVATIONS / DEMO  
SCALE: 1/8" = 1'-0"

NOTE: REFER TO SELECT STRUCTURAL'S DWGS FOR OVERALL STRUCTURAL COMPONENTS OF THE PAVILIONS, CONCESSIONS, DECKING, PILARAS AND NEW ROOF EXTENSION AT RESTROOMS AREA




**1** TRANSVERSE SECTION #2 - END PAVILION  
SCALE: 1/4" = 1'-0"



**2** LONGITUDINAL SECTION #2 - END PAVILION  
SCALE: 1/4" = 1'-0"


NOTE: SECTION VIEW TO ILLUSTRATE PLATFORM HEIGHTS AND APPROX. LINE OF SIGHT IN RELATION TO INTENDED ACTIVITIES AT EACH DECK LEVEL.

NOTE: REFER TO SELECT STRUCTURAL'S DWGS FOR OVERALL STRUCTURAL COMPONENTS OF THE PAVILIONS, CONCESSIONS, DECKING, PILES AND NEW ROOF EXTENSION AT RESTROOMS AREA.



① TRANSVERSE SECTION #1 - END PAVILION  
SCALE: 1/4" = 1'-0"

NOTE: SECTION VIEW TO ILLUSTRATE PLATFORM HEIGHTS AND APPROX. LINE OF SIGHT IN RELATION TO INTENDED ACTIVITIES AT EACH DECK LEVEL.



② LONGITUDINAL SECTION #1 - END PAVILION  
SCALE: 1/4" = 1'-0"

NAPLES PIER RECONSTRUCTION  
25 12th Ave S., Naples FL 34102

FLORIDA SEAL  
REG# AR 16971  
NOT FOR  
CONSTRUCTION

SHEET ISSUE DATE  
09/25/2023  
90% CD SET

END  
PAVILION  
SECTIONS

PHASE CD  
PR NO 23118

A.013



THIS DRAWING AND DESIGN WITHIN THIS SHEET OR DIGITAL FILE IS THE PROPERTY AND CREATION OF MAK ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAK ARCHITECTURE © 2023

**NAPLES PIER RECONSTRUCTION**  
25 12th Ave S., Naples FL 34102


FLORIDA SEAL  
REG# AR 16771  
**NOT FOR CONSTRUCTION**

SHEET ISSUE DATE  
07/25/2023  
90% CD SET


MID PAVILION SECTIONS

PHASE CD  
PR NO 23118


**A.014**



**1** TRANSVERSE SECTION #1 - MID PAVILION  
SCALE: 1/4" = 1'-0"




**2** LONGITUDINAL SECTION #1 - MID PAVILION  
SCALE: 1/4" = 1'-0"




**3** LONGITUDINAL SECTION #2 - MID PAVILION  
SCALE: 1/4" = 1'-0"


NOTE: REFER TO SELECT STRUCTURAL DWGS FOR ROOF TRUSSES, RAFTERS, SPACING AND OVERALL STRUCTURAL COMPONENTS OF THE PAVILIONS, CONCESSIONS AND NEW ROOF EXTENSION AT RESTROOMS AREA




**1** TRANSVERSE SECTION #1 - PIER ACCESS  
SCALE: 1/4" = 1'-0"




**2** LONGITUDINAL SECTION #1 - MENS RESTROOMS / PIER ACCESS  
SCALE: 1/4" = 1'-0"




**3** LONGITUDINAL SECTION #2 - SHOWER AREA / PIER ACCESS  
SCALE: 1/4" = 1'-0"




**1 BOARDWALK SECTION - DETAIL**  
SCALE: 1/2" = 1'-0"



**4 DECKING - NAILING DETAIL**  
NTS




**2 SEATING AREA TYPICAL SECTION DETAIL**  
SCALE: 1/2" = 1'-0"




**3 3D VIEW - BOARDWALK/SEATING AREA/ADA RAILING**  
NTS

NOTE: FURNITURE, WALLS, ROOF, RAILINGS, DECKING FLOOR AND RAMPS NOT SHOWN ON FRAMING PLAN FOR CLARITY PURPOSES. REFER TO SHEETS A.001-A.003 FOR OVERALL VIEWS, ENLARGED PLANS AND DETAILS.



1 END-PAVILION TO MID-PAVILION FRAMING PLAN  
SCALE: 1" = 20'-0"


NOTE: REFER TO TURRELL HALL & OSBORNE ENGINEERING'S STRUCTURAL DWGS FOR OVERALL STRUCTURAL COMPONENTS OF THE PAVILIONS, CONCESSIONS, DECKING, COLUMNS, RAILING AND NEW ROOF EXTENSION AT RESTROOMS AREA




2 OVERALL PIER FLOOR FRAMING - PIER ACCESS  
SCALE: 1" = 20'-0"

NOTE: REFER TO SELECT STRUCTURAL'S DWGS FOR OVERALL STRUCTURAL COMPONENTS OF THE PAVILIONS, CONCESSIONS, DECKING, COLUMNS AND NEW ROOF EXTENSION AT RESTROOMS AREA


NOTE: FURNITURE, WALLS, ROOF, RAILINGS, DECKING FLOOR AND RAMPS NOT SHOWN ON FRAMING PLAN FOR CLARITY PURPOSES. REFER TO SHEETS A.001-A.003 FOR OVERALL VIEWS, ENLARGED PLANS AND DETAILS.



**1** END-PAVILION/SUNSET VIEWING PLATFORM FRAMING PLAN  
SCALE: 1" = 20'-0"



**2** END-PAVILION/SUNSET VIEWING PLATFORM FRAMING SECTION  
SCALE: 1/4" = 1'-0"



**3** 3D END PAVILION FRAMING  
SCALE:



THE DRAWING AND DESIGN WITHIN THIS HARD COPY OR DIGITAL FILE IS THE PROPERTY AND CREATION OF MAK ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAK ARCHITECTURE © 2023

**NAPLES PIER RECONSTRUCTION**  
 25 12th Ave S., Naples FL 34102


FLORIDA SEAL  
 REG# AR 16771  
**NOT FOR CONSTRUCTION**

SHEET ISSUE DATE  
 09/25/2023  
 90% CD SET


STAIRS  
 DETAILS

PHASE CD  
 PR NO 23118


**A.020**




① STAIR - PIER ACCESS  
 SCALE: 1/2" = 1'-0"



③ SECTION THRU PIER ACCESS/STAIRS  
 SCALE: 1/4" = 1'-0"




② 3D VIEW - ACCESS STAIRS  
 SCALE:




① SEATING AREA ACCROSS CONCESSIONS - OPTION A  
SCALE:



② 3D VIEW - SHOWERS/GREEN WALL OPTION A  
SCALE:



③ 3D VIEW - ORDER AREA AT CONCESSIONS OPTION A  
SCALE:




④ 3D - CONCESSIONS SEATING AREA OPTION A  
SCALE:



⑤ SEATING AREA / CONCESSIONS - OPTION A  
SCALE:






STOREFRONT SCHEDULE					
Mark	Height	Width	Material	Description / Finish	Count
W1	3' - 8"	14' - 1 1/2"	ALUM.	KAWNER 451T; FIXED; 50% PVDF FINISH TO BE SELECTED FROM PERMACOAT AND PERMADIZE FINISHES; DESIGN AS SHOWN	1
W2	3' - 8"	24' - 0"	ALUM.	KAWNER 451T; FIXED; 50% PVDF FINISH TO BE SELECTED FROM PERMACOAT AND PERMADIZE FINISHES; DESIGN AS SHOWN	1
W3	3' - 8"	24' - 0"	ALUM.	KAWNER 451T; FIXED; 50% PVDF FINISH TO BE SELECTED FROM PERMACOAT AND PERMADIZE FINISHES; DESIGN AS SHOWN	1



**2 DOORS & FRAME TYPES**  
SCALE: 3/4" = 1'-0"

DOOR SCHEDULE									
MARK	HEIGHT	WIDTH	DOOR MATERIAL	DOOR TYPE	FINISH	FRAME MATERIAL	HARDWARE SET	DESCRIPTION	COUNT
									0
ED1	1' - 10"	5' - 0"	HM	SWING	NOTE 1/A.022	HM	05	UNDER PLATFORM STORAGE	1
ED2	1' - 10"	5' - 0"	HM	SWING	NOTE 1/A.022	HM	05	UNDER PLATFORM STORAGE	1
ED3	1' - 10"	5' - 0"	HM	SWING	NOTE 1/A.022	HM	05	UNDER PLATFORM STORAGE	1
ED4	1' - 10"	5' - 0"	HM	SWING	NOTE 1/A.022	HM	05	UNDER PLATFORM STORAGE	1
ED5	6' - 10"	3' - 0"	HM	SWING	NOTE 1/A.022	HM	01	CONCESSIONS/ SEE NOTE 3	1
ED6	6' - 10"	3' - 0"	HM	SWING	NOTE 1/A.022	HM	01	CONCESSIONS STORAGE	1
ED7	6' - 10"	3' - 0"	HM	SWING	NOTE 1/A.022	HM	01	PIER STORAGE/SEE NOTE 3	1
ED8	6' - 10"	3' - 0"	HM	SWING	NOTE 1/A.022	HM	03	FAMILY RESTROOM	1
ED9	6' - 10"	3' - 0"	HM	SWING	NOTE 1/A.022	HM	02	CHANGING ROOM	1
ED10	6' - 10"	3' - 0"	HM	SWING	NOTE 1/A.022	HM	01	MEN'S RESTROOM UTILITY	1
ED11	6' - 10"	3' - 0"	HM	SWING	NOTE 1/A.022	HM	01	WOMEN'S RESTROOM UTILITY	1
GATE 1	3' - 9"	6' - 0"	ALUM.	SWING	NOTE 1/A.022	ALUM	04	BEACH STAIR / SEE NOTE 2	1
GATE 2	3' - 9"	6' - 0"	ALUM.	SWING	NOTE 1/A.022	ALUM	04	BEACH STAIR / SEE NOTE 2	2
GATE 3	3' - 9"	9' - 5"	ALUM.	SWING	NOTE 1/A.022	ALUM	04	PARKING/PIER ACCESS	2

HARDWARE SCHEDULE			
<b>HARDWARE SET 01:</b>			
HEAVY DURY HINGE	BB1279 4 1/2" x 4 1/2"	630	HAGER
SILENCERS	SR64	GRAY	IVES
OFFICE LOCK	AL50PD STYLE 12 W/ VANDLGARD	630	SCHLAGE
DEADBOLT	GRADE 1 MORTISE LOCK	630	SCHLAGE
<b>HARDWARE SET 02:</b>			
HEAVY DURY HINGE	BB1279 4 1/2" x 4 1/2"	630	HAGER
SILENCERS	SR64	GRAY	IVES
OFFICE LOCK	AL10S STYLE 12 W/ VANDLGARD	630	SCHLAGE
<b>HARDWARE SET 03:</b>			
HEAVY DURY HINGE	BB1279 4 1/2" x 4 1/2"	630	HAGER
SILENCERS	SR64	GRAY	IVES
PRIVACY LOCK	AL40S STYLE 12	630	SCHLAGE
CLOSER	4030-3049	630	LCN
KICKPLATE	8400 / 8401	630	IVES
<b>HARDWARE SET 04:</b>			
GATE TRACK BRACKETS			
REAR WHEELS			
REAR WHEEL MOUNTING BRACKETS			
LATCH			
<b>HARDWARE SET 05:</b>			
HEAVY DURY HINGE	BB1279 4 1/2" x 4 1/2"	630	HAGER
OFFICE LOCK	AL50PD STYLE 12 W/ VANDLGARD	630	SCHLAGE
DEADBOLT	GRADE 1 MORTISE LOCK	630	SCHLAGE



**1 STOREFRONT FRAME TYPES**  
SCALE: 3/4" = 1'-0"

THE DRAWING AND DESIGN WITHIN THIS SHEET OR DIGITAL FILE IS THE PROPERTY AND CREATION OF MAK ARCHITECTURE AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF MAK ARCHITECTURE © 2023

**NAPLES PIER RECONSTRUCTION**  
25 12th Ave S., Naples FL 34102


FLORIDA SEAL  
REG# AR 16771  
**NOT FOR CONSTRUCTION**

SHEET ISSUE DATE  
07/25/2023  
90% CD SET


**DOOR DETAILS**

PHASE CD  
PR NO 23118


**A.022A**




**1 STAIRS/DECKING - GATE DETAIL**  
SCALE: 1" = 1'-0"




**2 PARKING ENTRY - GATE DETAIL**  
SCALE: 1" = 1'-0"



**3 DOOR HEAD**  
SCALE: 3" = 1'-0"



**4 DOOR JAMB**  
SCALE: 3" = 1'-0"






**5 DOOR SILL**  
SCALE: 3" = 1'-0"

**Flood Shield**



**Installation Instructions**

1. Position mounting channels with radius corners up, in desired location with larger holes facing exterior.
2. With channels vertically aligned, mark screw holes.
3. Drill pilot holes for screws using 9/64" drill bit. When using plastic anchor, use 1/4" drill bit.
4. Apply continuous bead of waterproof caulk to center of mounting side of channels.
5. Install channels with screws provided.
6. Caulk bottom outer edges of channels to floor surface.



**Operating Instructions**


Inspect channels and floor surface to insure proper working condition.

Inserting Shield: With springs and label facing out, insert bottom of plate into channels.

Push outward to compress springs while lowering plate.

Removing Shield: While compressing springs to remove tension off the gasketing, pull straight up on plate to remove from channel.

Storing Shield: Store the shield plate indoors with no weight against the gasket.




**1 ROOM FINISHES & AREAS**  
SCALE: 1/4" = 1'-0"


FINISH SPECIFICATIONS							
TAG	SPECIFICATION	NOTES					
EP-1	DUR-A-FLEX HYBRI-FLEX MC. COLOR TO BE SELECTED BY ARCHITECT FROM ANY OF MACRO-CHIP, MICRO-CHIP, EARTHSTONE, CLAYSTONE DESIGNER FINISHES.  BASE BID: INSTALL OVER EXISTING CONCRETE SLAB (AFTER REMOVAL OF EXISTING EPOXY FLOORING) ALTERNATE BID: INSTALL OVER EXISTING EPOXY FLOORING	FLOOR	P-2	PAINT: MANUFACTURER: SHERWIN-WILLIAMS COLOR: TO MATCH EXISTING FINISH: LATEX - EGGSHELL	HARDIE ARTISAN SIDING		
			P-3	PAINT: MANUFACTURER: SHERWIN-WILLIAMS COLOR: TO MATCH EXISTING FINISH: LATEX - SEMIGLOSS	EXTERIOR TRIM		
			P-4	PAINT: MANUFACTURER: SHERWIN-WILLIAMS COLOR: AS SELECTED BY ARCHITECT FINISH: EGGSHELL	GENERAL WALL		
EP-2	DUR-A-FLEX HYBRI-FLEX MC. COLOR TO BE SELECTED BY ARCHITECT FROM ANY OF MACRO-CHIP, MICRO-CHIP, EARTHSTONE, CLAYSTONE DESIGNER FINISHES.  BASE BID: INSTALL OVER EXISTING CONCRETE SLAB (AFTER REMOVAL OF EXISTING EPOXY FLOORING) ALTERNATE BID: INSTALL OVER EXISTING EPOXY FLOORING	FLOOR AND 6" COVE BASE	W-1	WOOD; EXISTING IPE WOOD WITH DUR-A-FLEX DUR-A-WALL VC. WAINSCOT TO EXISTING IPE. COLOR TO BE SELECTED BY ARCHITECT FROM ANY OF MACRO-CHIP AND MICRO-CHIP FINISHES.  BASE BID: INSTALL OVER EXISTING CMU BLOCK AFTER REMOVAL OF EXISTING EPOXY WALL FINISH AND RELATED MOUNTING MATERIALS. SKIM COAT BLOCK SMOOTH.  ALTERNATE BID: INSTALL OVER EXISTING EPOXY WALL FINISH.	EXISTING IPE TO BE REFINISHED		
						C-1	ARMSTRONG, CLEAN ROOM VL#868, UNPERFORATED, WHITE, 2'X2', WITH 15/16" SUSPENSION SYSTEM
						C-2	GYPSUM BOARD, PAINTED WITH SHERWIN-WILLIAMS, COLOR: AS SELECTED BY ARCHITECT FINISH: LATEX - EGGSHELL
						C-3	EXISTING IPE TONGUE AND GROOVE CEILING, TO BE RESTAINED.
P-1	PAINT: MANUFACTURER: SHERWIN-WILLIAMS COLOR: AS SELECTED BY ARCHITECT FINISH: LATEX - EGGSHELL	CEILING			C-4	STAIN TRUSSES ( HEAVY TIMBER), PAINT RAFTERS, TONGUE AND GROOVE ROOF DECK. STAIN SPEC T.B.D.	
					W-2	GYPSUM BOARD WITH FIBERGLASS REINFORCED PLASTIC MARLITE SYMMETRIC SMART SEAM SUBWAY HORIZONTAL 6'X3" OR RECTANGLE HORIZONTAL 6'X3" OR MARLITE, S100, CLASS C, WHITE.	
					W-3	GYPSUM BOARD, PAINTED	
					W-4	STAIN IPE-CLAD COLUMNS, STAIN SPEC T.B.D.	
					F-1	IPE DECKING	

**EQUIPMENT LEGEND:**


- A. ELECTRICAL HAND DRYER. DYSON. AIRBLADE V. MODEL #HU02, LOW VOLTAGE 307174-01, SPRAYED NICKEL.
- B. FRAMELESS MIRROR. BOBRICK. B-1556 2436
- C. THREE STATION LAVATORY. BRADLEY VERGE, MODEL # LVLD3 / L SINGLE TEMPERED LINE ASSEMBLY / ANTARTICA / STAIN / S-POLY
- D. TOILET. AMERICAN STANDARD, MODEL #3353.001 AFWALL MILLENIUM FLOWISE 1.1 GPF ELONGATED FLUSHOMETER TOILET SYSTEM WITH EVERCLEAN, AC POWER #6067.242.002 (BACK SPUD) WHITE, WITH HEAVY DUTY OPEN FRONT ELONGATED COVER SEAT WITH EVERCLEAN SURFACE, MODEL # 5901110T.020
- E. SANITARY PRODUCT DISPOSAL UNIT MODEL 4A10-11 SURFACE MOUNTED BRADDEX - DIPLOMAT SERIES - STAINLESS STEEL WITH HEAVY DUTY PIANO HINGE.
- F. LAVATORY, BRADLEY, MODEL #LVLD1 / IR-DCCD-PT / 6315-KT0000-P19-231F / TMA / ANTARTICA / STAIN / S-POLY
- G. **NOT USED**
- H. **NOT USED**
- I. GRAB BAR. BOBRICK, MODEL #B-6897.99 TWO- WALL TOILET COMPARTMENT GRAB BAR PEENED.
- J. **NOT USED**
- K. URINAL. AMERICAN STANDARD, MODEL #6042.001EC.020 DECORUM .125 GPF/0.47 LPF HIGH EFFICIENCY TOP SPUD URINAL WITH EVERCLEAN, WHITE, WITH SELECTRONIC DC TOP SPUD FLUSH VALVE 6063.013.002
- L. BABY CHANGING STATION. KOALA KARE, MODEL #KB300-SS, COLOR: 01 GREY
- M. CHILD PROTECTION SEAT. KOALA KARE, MODEL # KB102, COLOR 01 GREY.
- N. HEAVY DUTY CLOTHES HOOK WITH CONCEALED MOUNTING, BOBRICK, MODEL # B-2116
- O. BENCH, BRADLEY, LENOXPEDESTAL 72-0120 BLACK STD - LENOX LOCKER PEDESTAL BENCH, 12 W x 72", COLOR AS SELECTED BY ARCHITECT.
- P. ELKAY EZH2O BOTTLEFILLING STATION & BI-LEVEL HIGH EFFICIENCY VANDAL-RESISTANT COOLER FILTERED REFRIGERATED STAINLESS.
- Q. GOJO 2730-12 TFX 1200 ML BLACK TOUCHLESS HAND SOAP DISPENSER. (EXISTING TO REMAIN)
- R. TWIN TISSUE DISPENSER PLASTIC - BLACK - SURFACE MOUNTED (EXISTING TO REMAIN)
- S. VERGE FAUCET - METRO SERIES S53-3300 UNIVERSAL TOUCH FREE DUAL SENSOR ACTIVATION, ELONGATED SPOUTS POLISHED CHROME. BATTERY POWER STANDARD MULTIPLE LOW FLOW OPTIONS.
- T. EXISTING SHOWERS TO BE REMOVED AND REINSTALLED FOR REUSE




**1 WOMEN'S RESTROOMS - INTERIOR FINISHES DETAILS**  
SCALE: 1/8" = 1'-0"




**2 RESTROOMS - MEN INTERIOR ELEVATIONS**  
SCALE: 1/8" = 1'-0"



**4 SCREEN / EDUCATIONAL BOARD DETAIL**  
SCALE: 3/4" = 1'-0"




**1 CONCESSIONS DECK**  
SCALE: 3/8" = 1'-0"



MIAMI-DADE PRODUCT APPROVED (NOA NO. 20-1104.24)  
MEETING LARGE AND SMALL MISSILE IMPACT REQUIREMENTS  
FLORIDA PRODUCT APPROVAL #FL15110-R5  
TYPE: S-20 AND S-50 ONLY

THIS DRAWING IS THE PROPERTY OF THE BILCO COMPANY AND INCORPORATES INFORMATION WHICH IS PROPRIETARY, UNPUBLISHED AND/OR PATENTED INFORMATION OF BILCO OR IN PART IS EXPRESSLY PROTECTED WITHOUT THE WRITTEN CONSENT OF THE BILCO COMPANY. THE INFORMATION CONTAINED HEREIN REMAINS THE PROPERTY OF THE BILCO COMPANY. ALL RIGHTS RESERVED.

**2 HATCH DETAIL**  
NTS



**3 LATTICE/BEAM DETAIL**  
SCALE: 3/8" = 1'-0"